Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	blocked adj1 destination adj1 address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/03/08 08:45
S2	92	blocked with destination with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:40
S3 ·	1	deprecated adj1 directed adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
S4	1	deprecated adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:36
S5	63	block\$3 with (broadcast adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:38
S6	86	(permit\$4 or allow\$3) with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:01
S7	0	prohibit\$3 with filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:49
S8	51	filter\$3 with(broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:50
S9 .	11	filter\$3 with(broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 15:56

		LASI Scare				•
S10	11	filter\$3 with (broadcast adj1 address\$2) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:01
S11	. 51	filter\$3 with (broadcast adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:08
S12	337	subnet with prefix with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 16:10
S13	47	invalid adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45
S14	10	packet with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/19 10:45
S15	0	"predetermined non-forwading address table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:54
S16	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S17	11	(invalid adj1 address) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S18	1410	invalid adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 12:56
S19	31	packet near2 S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:20

			y			
S20	2	(routing adj1 table) with (invalid adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:27
S21	2508	(den\$3 or block\$3 or reject43) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:41
S22	2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S23	1640	@ad<"20010925" and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 13:42
S24	58	(routing adj1 table) same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:44
S25	12	(non adj1 forward\$3) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:15
S26		bloccked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:15
S27	160	blocked adj1 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:18
S28	61	(routing adj1 table) with block\$3 with transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:20
S29	4	(non-forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:22

			•			
S30	6	blocked adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:24
S31	12	(address adj1 filter\$3) with (rout\$3 adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:27
S32	14612	(rout\$3 adj1 table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:27
S33	447	(rout\$3 adj1 table\$1) near2 (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:39
S34	40	(drop\$3 or discard\$3) same S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:40
S35	0	(routing adj1 table) same (invalid adj1 destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 16:45
S36	229	(destination adj1 address) with (invalid or illegal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:08
S37	0	predetermined with (non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
S38	4	(non adj1 forward\$3) with (destination adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 17:09
S39	15989	370/229,230,389,392,400,401,471. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:49

S40	1390	invalid adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S41	42	S40 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:42
S42	2670	(den\$3 or block\$3 or reject\$3) with (destination adj1 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S43	385	S39 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/29 18:44
S44	51	invalid adj1 destination adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:42
S45	261	(non adj1 forward\$3) or nonforward\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:45
S46	4	(destination adj1 address) near2 S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:47
S47	494	bridge same (routing adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48
S48	. 19	discard\$3 same S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:48
S49	1	deprecated adj1 directed adj1 broadcast adj1 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/08 08:50

		LASI Searc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S50	346	((destination near address) with (identif\$3 look\$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/30 15:20
S51	103	S50 and ((rout\$3 forward\$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:40
S52	58	S51 and (@ad<"20010925" @rlad<"20010925")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:41
S57	347	((destination near address) with (identif\$3 look\$up (look adj up) invalid\$5 drop\$3 unfound\$3 unauthoriz\$5 ban\$3 den\$4 prevent\$3 prohibit\$4 forbid\$4 refus\$3 reject\$3 illegal loop\$back (loop adj back) reserv\$3 deprecat\$3) same filt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:55
S58	212	invalid near5 (destination near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:57
S59	12	(drop\$4 or discard\$3 or filter\$3) with S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:02
S60	20	(drop\$4 or discard\$3 or filter\$3) same S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:57
S61	89806	invalid or (non near forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:58
S62	46450	destination near address\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59

		LASI SearC	,			
S63	214	S61 with S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 17:59
S64	108	S61 near3 S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:25
S65	0	(pre near determined) near4 S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:01
S66	6	(drop\$4 or discard\$3) with S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:10
S67	2	"6694353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 18:29
S68	0	(discard\$3 near3 flag) with (routing adj1 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:26
S69	1436	(discard\$3 drop\$5) near3 flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:26
S70	16864	rout\$3 adj1 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/31 13:27
S71 .	0	S69 with S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:27
S72	9	(table\$1 with packet\$1) with S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:30

S73	236	(table\$1 with packet\$1) and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:46
S74	55	count\$3 with (drop\$4 near2 packet\$1) with source and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:50
S75	641	count\$3 with (drop\$4 near2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52
S76	278	@ad<"20010925" and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 13:52